

ThinkVision

Smarter technology for all

EMEA Smart Collaboration
Technology Club



Lenovo ThinkVision E-Series Huddle Room Displays

Lenovo

Lenovo ThinkVision E55 LFD / E65 LFD



Visuals Comfort



Super Connectivity



Lenovo Meeting
Eco-solution

Model	MSRP	Available	Geo Scope	PN
ThinkVision E55 LFD	TBD	Mar 2025	WW* *Selected countries	64A9GAT1US
ThinkVision E65 LFD	TBD	Mar 2025	WW* *Selected countries	64ACGAT1US

400nits

+

Anti-glare

Haze level 28%

Ideal for basically all
room brightness
conditions

- Comfortable for long-time watch
- Natural Low Blue Light (TUV Low Blue Light + Flicker Free)
- Eyecare design

- 55"/65" 16:9, 3840 x 2160 resolution
- 3-Sided borderless display
- Contrast ratio 5000:1
- USB hub with USB-C (15W PD) and USB-A
- Green design for a better collaboration space (ES8.0, EPEAT, ErP Lot 5, AI power saving)
- Certified for 18x7 run-time

Lenovo

2025 Lenovo Internal. All rights reserved.

ThinkVision

Integrated Docking Station for BYOM


Built-in docking solution with USB Type C (to 96W PD)




Warning on connecting Lenovo ILFDs/ LFDs with external docking stations (cascade): USB Hub levels (aka tiers) may exceed the max allowed value (7) when adding in an external Docking Station (possible failure of AV peripherals). Therefore, when using an external docking station, connect AV peripherals to it instead of to the iLFD/LFD.

In BYOD room designs please always calculate the USB tiers leaving a margin for user devices

Out port for integrated docking station:
USB-C (USB 5Gbps), 96W PD, DP 1.4, upstream
(it can provide network as well)
In the Box: 1x USB-C to USB-C Cable (3m)



Easy Integration - Free of Cable Clutter



Designed to host

- ThinkSmart Core Gen 2
- ThinkSmart Tiny Kit
- ThinkCenter Tiny

Removable

Compute can be powered from display by using the included Power Cord for Adapter (1m)

E-Series LFD Warranty



Advanced Exchange Solution

Replacement unit shipped in advance.

Customer removes faulty unit and place unit in replacement devices carton.

Lenovo will arrange collection of faulty unit at later date.

Coverage for mechanical/electrical breakdown

3 years terms

Warranty Extension

4&5 Year Warranty Extension Available



ThinkVision Large Format Displays Lineup

Non-Touch

Touch Video Enabled

ThinkVision
E55 LFD



ThinkVision
E65 LFD



ThinkVision
T65 iLFD



ThinkVision
T75 iLFD



ThinkVision
T86 iLFD



Display	Panel Size	55-inch	65-inch	65-inch	75-inch	86-inch
	Brightness/ color gamut	400 nits, 72% NTSC	400 nits, 72% NTSC	400 nits, 99% sRGB 85% NTSC	400 nits, 99% sRGB 85% NTSC	400 nits, 99% sRGB 85% NTSC
	Resolution	UHD (3840 x 2160)	UHD (3840 x 2160)	UHD (3840 x 2160)	UHD (3840 x 2160)	UHD (3840 x 2160)
	Backlight	DLED	DLED	DLED	DLED	DLED
	Refresh rate	60Hz	60Hz	60 Hz	60 Hz	60 Hz
	Eyecare	TUV Low Blue Light + Flicker Free certification	TUV Low Blue Light + Flicker Free certification	TUV Low Blue Light + Flicker Free certification	TUV Low Blue Light + Flicker Free certification	TUV Low Blue Light + Flicker Free certification
Multi-Media	Speakers	2 x 10W	2 x 10W	2 x 15W	2 x 15W	2 x 15W
	Camera	Compatible with modular camera And other camera with 1/4-20 UNC thread	Compatible with modular camera And other camera with 1/4-20 UNC thread	4k detachable camera	4k detachable camera	4k detachable camera
Connectivity	Ports	USB-C (Upstream, full function with 96W PD), HDMI 2.1 inx2, DP in, DP out, USB-B 3.2, USB-A 3.2x4, USB- C(downstream), RJ45, RS232, audio out	USB-C (Upstream, full function with 96W PD), HDMI 2.1 inx2, DP in, DP out, USB-B 3.2, USB-A 3.2x4, USB- C(downstream), RJ45, RS232, audio out	4 x HDMI 2.0, 1 x HDMI 2.0 out, 1 x DP 1.2, 2 x Ethernet, 2 x USB 3.0 (Type C), 2 x USB 3.0 (Type A), 2 x USB 2.0 (Type A), 2 x USB 3.0 (Type B), 1 x RS232, 1 x VGA, 1 x Mic in, 1 x Headphone, 1 x SPDIF	4 x HDMI 2.0, 1 x HDMI 2.0 out, 1 x DP 1.2, 2 x Ethernet, 2 x USB 3.0 (Type C), 2 x USB 3.0 (Type A), 2 x USB 2.0 (Type A), 2 x USB 3.0 (Type B), 1 x RS232, 1 x VGA, 1 x Mic in, 1 x Headphone, 1 x SPDIF	4 x HDMI 2.0, 1 x HDMI 2.0 out, 1 x DP 1.2, 2 x Ethernet, 2 x USB 3.0 (Type C), 2 x USB 3.0 (Type A), 2 x USB 2.0 (Type A), 2 x USB 3.0 (Type B), 1 x RS232, 1 x VGA, 1 x Mic in, 1 x Headphone, 1 x SPDIF
ID	Lenovo modular PC support	ThinkSmart Core/Tiny & ThinkCentre Tiny	ThinkSmart Core/Tiny & ThinkCentre Tiny	Wireless dongle for screen casting	Wireless dongle for screen casting	Wireless dongle for screen casting
Manageability	Functions	Display status report & firmware update	Display status report & firmware update	Display status report & firmware update	Display status report & firmware update	Display status report & firmware update
	Compatible Platforms	ThinkSmart Manager, LDFM	ThinkSmart Manager, LDMF	ThinkSmart Manager	ThinkSmart Manager	ThinkSmart Manager
Sustainability	Certifications	Energy Star, EPEAT	Energy Star, EPEAT	Energy Star	Energy Star	Energy Star
	Materials	2% PCC, Arsenic free, Mercury free	2% PCC, Arsenic free, Mercury free	Arsenic free, Mercury free	Arsenic free, Mercury free	Arsenic free, Mercury free